

PRODUCT SPECIFICATIONS

CIRCULAR SWINGBLADE MILLS

MODEL 6-18

PROPERTY OF ONELMG.COM



ENGINE	<ul style="list-style-type: none"> • 18H/P ELECTRIC & MANUAL START, V-TWIN, PETROL
TRANSMISSION	<ul style="list-style-type: none"> • 4" centrifugal clutch, • 3 SPA 875 belts 25mm shafts • 1 piece hub shaft assembly
SAWBLADES	<ul style="list-style-type: none"> • 5 tooth TCT 2.8mm plate, 5mm kerf
CUT LENGTH	<ul style="list-style-type: none"> • Up to 6.1m in standard form
CUT SIZES	<ul style="list-style-type: none"> • Up to 160mm x 160mm (6¼" x 6¼") • Double cut up to 160mm x 320mm (6¼" x 12½")
SIDEWINDER	<ul style="list-style-type: none"> • Standard



WEIGHTS

CARRIAGE	131 kg
TRACKS	66 kg
END-FRAMES	76 kg
SHIPPING WEIGHT	374 kg
SHIPPING SIZES	<ul style="list-style-type: none">• Box: .87m x .75m x 2.8m• Tracks: .3m x .2m x 6.1m
SLABBER	Optional



NEED TO ORDER THIS MACHINE?

CONTACT: ATSU GBLORKPOR

+233 55 266 3576

OR

[CLICK HERE TO REQUEST A CUSTOM QUOTE HERE](#)



Follow Us on Social Media



FACEBOOK



INSTAGRAM



LINKEDIN

