

PRODUCT SPECIFICATIONS

CIRCULAR SWINGBLADE MILLS

MODEL 8-15

PROPERTY OF ONELMG.COM



| | |
|--------------|---|
| ENGINE | <ul style="list-style-type: none"> • 15H/P 3-PHASE 400V 50/60HZ, ELECTRIC |
| TRANSMISSION | <ul style="list-style-type: none"> • 3 SPA 1000 belts • 30mm shafts • 1 piece hub shaft assembly |
| SAWBLADES | <ul style="list-style-type: none"> • 5 tooth TCT 3.2mm plate, 5.7mm kerf |
| CUT LENGTH | <ul style="list-style-type: none"> • Up to 6.1m in standard form |
| CUT SIZES | <ul style="list-style-type: none"> • Up to 215mm x 215mm (8½" x 8½") • Double cut up to 215mm x 430mm (8½" x 17") |
| SIDEWINDER | <ul style="list-style-type: none"> • Standard |



WEIGHTS

| | |
|-----------------|--|
| CARRIAGE | 184kg |
| TRACKS | 66 kg |
| END-FRAMES | 81 kg |
| SHIPPING WEIGHT | 430 kg |
| SHIPPING SIZES | <ul style="list-style-type: none">• Box: 1.03m x .75m x 2.85m• Tracks: .3m x .2m x 6.1m |
| SLABBER | Optional |



NEED TO ORDER THIS MACHINE?

CONTACT: ATSU GBLORKPOR

+233 55 266 3576

OR

[CLICK HERE TO REQUEST A CUSTOM QUOTE HERE](#)



Follow Us on Social Media



FACEBOOK



INSTAGRAM



LINKEDIN

