

PRODUCT SPECIFICATIONS

CIRCULAR SWINGBLADE MILLS

MODEL 8-30



PROPERTY OF ONELMG.COM



ENGINE	<ul style="list-style-type: none"> • ELECTRIC START, EFI V-TWIN, PETROL
TRANSMISSION	<ul style="list-style-type: none"> • 5" centrifugal clutch, 3 SPA 1000 belts 30mm shafts • 1 piece hub shaft assembly
SAWBLADES	<ul style="list-style-type: none"> • 5 tooth TCT 3.2mm plate, 5.7mm kerf
CUT LENGTH	<ul style="list-style-type: none"> • Up to 6.1m in standard form
CUT SIZES	<ul style="list-style-type: none"> • Up to 215mm x 215mm (8½" x 8½") • Double cut up to 215mm x 430mm (8½" x 17")
SIDEWINDER	<ul style="list-style-type: none"> • Standard



WEIGHTS

CARRIAGE	168kg
TRACKS	66 kg
END-FRAMES	81 kg
SHIPPING WEIGHT	420 kg
SHIPPING SIZES	<ul style="list-style-type: none">• Box: 1.03m x .75m x 2.85m• Tracks: .3m x .2m x 6.1m
SLABBER	Optional



NEED TO ORDER THIS MACHINE?

CONTACT: ATSU GBLORKPOR

+233 55 266 3576

OR

[CLICK HERE TO REQUEST A CUSTOM QUOTE HERE](#)



Follow Us on Social Media



FACEBOOK



INSTAGRAM



LINKEDIN

